



# TIMECUTTER<sup>®</sup> HD & TIMECUTTER<sup>®</sup>

ZERO-TURN MOWERS








# BECAUSE WE CARE ABOUT TIME WELL SPENT TOO.

Toro's innovative features simplify operation and reduce trimming time so you can spend more time enjoying your lawn instead of mowing it. The Toro TimeCutter® cuts your mowing time significantly, which means less work for you and your mower. You'll not only have more time to enjoy, you'll extend the working life of your mower.



# SPEND LESS TIME MOWING





## HIGH-CAPACITY FUEL TANK

A 3-gal. fuel tank lets you mow longer, while the sight gauge provides a quick view of the fuel level. The large gas cap makes fill-ups easy.



## 3-YEAR LIMITED WARRANTY\*

Backed by one of the best warranties in the industry, the TimeCutter will perform season after season with no hour limitations.

*\*See retailer for warranty details.*

## HEAVY-DUTY CONSTRUCTION

Features thick, 10-gauge steel frames, solid front axles, heavy-duty engine guards and large caster forks for added durability.



Look for this blue icon throughout the brochure pointing you to innovative and smart features from Toro.

## PROFESSIONAL QUALITY OF CUT

Toro is counted on by landscape professionals to maintain grounds every day. You can't beat the way it performs in the field.



## STRENGTH WHERE IT COUNTS

The spindle that attaches the blade to the deck is one of the most important parts of your mower. Our commercial-grade spindles are bigger, heavier and secured with more bolts than standard spindles to maintain the durability and cut you demand.



## PREMIUM SEATS

18" extra-tall or 18" thickly padded, premium seats provide ample back support for a smooth, comfortable ride.



## VERSATILITY IS STANDARD

Each TimeCutter comes standard with a hitch for pulling a variety of attachments, providing added versatility.



## HD SERIES

## HEAVY-DUTY ZERO-TURN MOWERS

### COMMERCIAL & RESIDENTIAL WARRANTY

Backed by one of the best warranties in the industry, the TimeCutter will perform season after season with no hour limitations.

*\*See retailer for warranty details.*

### BE PRODUCTIVE

With a ground speed of up to 8.5 mph, you'll get everything done...faster.

### MAXIMUM COMFORT

Once you take hold of the controls, the rest of your body is isolated from the mower. That means you'll experience the most comfortable ride a lawn mower has to offer. Hands down.

*(MyRIDE equipped models only)*

### EXCELLENT MANEUVERABILITY WITHOUT SACRIFICING COMFORT

Large 22" (56 cm) rear tires ensure better handling and maneuverability, and over 5" (12.7 cm) of secondary suspension between you and the ground means more cushion and a smoother ride.

FAST. COMFORTABLE. HEAVY DUTY.  
**YOU DESERVE IT ALL.**



# COMMERCIAL- GRADE NEVER FELT SO GOOD

The TimeCutter® HD zero-turn mower does more than cut grass to perfection. It can also cut your mowing time significantly. But when you're bouncing around on rough terrain, speed won't do you any good without superior comfort to match. The smooth MyRIDE® Suspension System features a suspended operator platform that cushions you from bumps and vibrations, so you can be more productive and stay comfortable. And the heavy-duty IronForged™ GRADE 50 high-strength steel deck is nearly 50% stronger than other decks<sup>1</sup>, so you can power through tough grass. You'll not only enjoy mowing — you'll enjoy more free time.



“Man, do I like this mower! I'm very impressed with the MyRIDE suspension; it is what sold me on the mower. It makes the rough terrain so much more tolerable. Thanks Toro for smoothing out my ride.”

★★★★★ Tman1020 via Toro.com | Indiana, USA



## IRONFORGED™ FABRICATED DECK & DECK LIFT PEDAL

Welded together from plates of 10-gauge steel and with bull-nose bumper, this deck can be easily raised over obstacles.



## TORO COMMERCIAL V-TWIN ENGINE

Built to perform and designed to last with durable cast-iron cylinder liners and full pressure lubrication.



## BE PRODUCTIVE

With a ground speed of up to 8.5 mph, you'll get everything done...faster.

<sup>1</sup>Compared to regular 11-gauge steel decks. Deck shell and leading edge are made of high-strength 10-gauge steel.



**MAXIMUM COMFORT**

Once you take hold of the controls, the rest of your body is isolated from the mower. That means you'll experience the most comfortable ride a lawn mower has to offer. Hands down. (MyRIDE equipped models only)

**HEAVY-DUTY FRAME**

The heavy-duty 10-gauge frame provides increased strength, durability and reliable performance.



**SMART SPEED® CONTROL SYSTEM**

Three speed ranges to meet your needs – Trim, Tow, Mow – can be changed on the fly.

**IRONFORGED™ FABRICATED DECK**

The toughest mowing conditions aren't so tough when your deck is made of 10-gauge steel, uses commercial style 6" spindles and has blade tip speeds over 18,000/fpm.

WHO KNEW  
**RUGGED** COULD BE SO  
**COMFORTABLE?**





**IRONFORGED™ FABRICATED DECK**

The toughest mowing conditions aren't so tough when your deck is made of 10-gauge steel, uses commercial style 6" spindles and has blade tip speed over 18,000/fpm.



**ULTIMATE COMFORT**

Premium, thickly padded 18" extra-tall seats provide ample back support for a smooth, comfortable ride.  
*Available on most models.*



**PREMIUM FEATURES**

Premium features, including a deck lift pedal, a floor mat, and an hour meter for increased productivity.  
*Available on most models.*

**THE HEAVY-DUTY CHOICE FOR HEAVY MOWING USE**

TimeCutter® MX Series mowers are built for heavy use in the toughest conditions, providing years of dependable performance. From their heavy-duty fabricated decks to their upgraded transmissions, they stand up to demanding use. Most models also offer premium, thickly padded seats for maximum comfort.



“It cuts great, handles superbly and is easy to clean using the hose hookup afterwards. On top of that, it's comfortable to drive and the seat is high in the back, making it less fatiguing.”

★★★★★ StephanieY via Toro.com | Andover, MN

**TIMECUTTER MX6050**

The TimeCutter MX6050 takes the durable, comfortable MX Series one step further, featuring a 60" fabricated deck for increased performance, along with these other great features.



**HEAVY-DUTY FRONT END**

2.5" x 2.5" fully tubular front axle and heavy-duty 3/8" thick caster forks for added durability.



**HEAVY-DUTY DECK CONSTRUCTION**

60" fabricated deck features dual supported gauge wheels for increased strength.



**BUILT-IN BUCKET HOLDERS**

Attach a Toro 5-gallon Bucket to the heavy-duty engine guard to carry tools or pick up trash.



SS SERIES

ZERO-TURN MOWERS

# FAST, FUN AND WEEKEND FRIENDLY

## COMFORT

18" (46 cm) extra tall seats for increased comfort.

## VERSATILITY

Each TimeCutter comes standard with a hitch for pulling a variety of attachments.

AWARD  
WINNING  
FEATURE!

## SMART SPEED® CONTROL SYSTEM

Three speed ranges to meet your needs – Trim, Tow, Mow – can be changed on the fly.

## SPREAD CLIPPINGS 80% FARTHER\*

With a redesigned chute opening to prevent clumps, and a high blade tip speed, grass is spread out further, faster.





### » SMART SPEED®

Toro's Smart Speed® control system lets you choose from three ground speed ranges, making it easy to learn how to drive. Use low **TRIM** range to trim closer for maximum time savings, choose medium **TOW** range for towing attachments, or select high **MOW** range to mow large open areas and finish quickly.



## SMART DESIGN PUTS YOU IN CONTROL

Looking for a time-saving zero-turn mower? The quick, maneuverable TimeCutter® SS gets the job done fast. Featuring the exclusive Smart Speed control system, the TimeCutter is the only zero-turn mower with three speed ranges, making it easy to learn how to drive and the best for pulling attachments. With a rugged deck and frame — and an unbeatable warranty — you can count on your TimeCutter SS for years to come.



### SPREAD CLIPPINGS 80% FARTHER\*

With a redesigned chute opening to prevent clumps, and a high blade tip speed, grass will be spread out further, faster.



### AUTOMATIC PARKING BRAKE

Automatically sets whenever the control arms are moved outward.



“I'd wanted one for a long time... My wife & I went to look at it and before I knew it, she said sold. When can you deliver it. Took me by surprise. Great cuts every time... I highly recommend it. Worth every penny.”

★★★★★ BB49 via Toro.com | Youngstown, OH

\*Results may vary based on grass conditions / ^2013 HANDY Magazine Innovation Award Winner

## EASY OPERATION

LEVER STEERING: PUSH OR PULL AS SHOWN TO STEER WHERE YOU WANT TO GO.



FORWARD



TURN RIGHT



STOP



TURN LEFT



REVERSE



# POWERFUL COMMERCIAL ENGINES

The Toro single cylinder and Toro Commercial V-Twin engines — the same ones found on some of Toro's industry-leading professional contractor zero-turn mowers — were specifically created to deliver optimal performance in our mowers to the needs of the Toro decks they power. **Massive power keeps the blade tip speed high allowing you to cut like the pros.** They respond faster with more power when you need it, so you're ready to handle your toughest outdoor tasks. With heavy-duty components and innovative features, it's the perfect match for the job you need to do.



## COMMERCIAL ENGINE BENEFITS:



### **AUTOMOTIVE-STYLE PISTON ASSEMBLY.**

Triple ring design reduces engine oil consumption and blowby for maximum power.



### **CAST-IRON CYLINDER LINERS.**

Durable construction delivers extended wear for longer engine life.



### **TWO-BARREL CARBURETOR**

The two-barrel carburetor allows a stream of air and fuel mixture to be dedicated to each cylinder separately for maximum power and performance.

*Available on V-Twin engines only.*



### **» QUICK-DRAIN OIL HOSE**

Just pop the hose out of its holder to drain the oil and pop it back in its holder when finished, no tools required.

*Available on V-Twin engines only.*



### **» SELF-CLEANING AIR FILTER HOUSING**

This patent-pending system features a self-cleaning air filter housing with a dual-element air filter and a sloped floor that keeps debris out of the engine — maximizing filter life and engine performance.





# NO COMPROMISES. NO EXCUSES.

When we set out to make a tougher deck, we didn't mess around. We used thicker steel, heavier spindles, and unbelievably fast blade tip speeds to give you the ultimate advantage. Our new IronForged™ deck is built on our long heritage in making the most durable commercial cutting machines in the business. The result is a mower that powers through tall, thick, wet grass with ease — leaving behind nothing but a yard to be envied.

IRONFORGED



## STANDS UP TO DEBRIS

Stumps, roots, and other debris can damage inferior decks. The IronForged deck is built to survive it all. It's made from thicker steel than most competitors, and the reinforced edge gives you extra protection against impacts.



## STRENGTH WHERE IT COUNTS

The spindle that attaches the blade to the deck is one of the most important parts of your mower. Our commercial-grade spindles are bigger, heavier, and designed for professional applications to maintain the durability and cut you demand.



## CUT LIKE A PRO

A faster blade tip speed means you get a sharper, more defined cut without leaving uncut grass while cutting at faster ground speeds. You'll save time while getting a cut that looks so good the neighbors will think you hired a professional service.



## POWER THROUGH TOUGH GRASS

Need to cut tall, thick, wet grass? You got it. The IronForged deck can power through it without leaving clumps to rake up later. The baffle is designed to disperse clippings evenly while keeping grass from getting packed under the deck.



# TIMECUTTER® SS & MX SERIES SPECIFICATIONS

YARD SIZE	UP TO 1 ACRE				
MODELS	SS3225 <sup>†</sup> 74710	SS4200 74711	SS4225 74726	MX4200 74766	MX4250 74760
ENGINE <sup>1</sup> AT 3,600 RPM	Toro® 452cc	Toro 452cc	» 22.5 hp Toro Commercial V-Twin 708cc w/Self-Cleaning Air Filter Housing	22.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing	» 24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing
ENGINE GUARD	Standard	Standard	Standard	Standard	Standard
FUEL CAPACITY	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)
MOWING DECK	32" (81 cm) – 13 ga. 1 blade	» 42" (107 cm) – 13 ga. 2 blades	42" (107 cm) – 13 ga. 2 blades	» 42" (107 cm) fab. – 10 ga. 2 blades IronForged™ Cutting System	42" (107 cm) fab. – 10 ga. 2 blades IronForged™ Cutting System
BLADE TIP SPEED	18,959 ft/min (5,779 m/min)	17,810 ft/min (5,428 m/min)	17,810 ft/min (5,428 m/min)	17,810 ft/min (5,428 m/min)	17,810 ft/min (5,428 m/min)
DECK WASHOUT PORTS	Standard	Standard	Standard	Standard	Standard
HEIGHT OF CUT	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)
DECK LIFT PEDAL	Optional	Optional	Optional	Optional	» Standard
FRAME	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge
HITCH	Standard	Standard	Standard	Standard	Standard
ANTI-VIBRATION MAT	Standard	Optional	Optional	Optional	» Standard
TRANSMISSIONS	Dual Hydrostatic HG-ZT2100	Dual Hydrostatic HG-ZT2100	Dual Hydrostatic HG-ZT2100	Dual Hydrostatic HG-ZT2100	» Dual Hydrostatic HG-ZT2200
SMART SPEED <sup>2</sup>	Standard	Standard	Standard	Standard	Standard
AUTOMATIC PARKING BRAKE	Standard	Standard	Standard	Standard	Standard
STEERING LEVERS	Standard	Standard	Standard	Standard Dampers	» Pro-Control Dampers
MOW (F/R) TOW (F/R) TRIM (F/R)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)
TIRES (REAR)	18" x 6.0" (45.7 x 15.2cm)	» 18" x 7.5" (45.7 x 19.1 cm)	18" x 7.5" (45.7 x 19.1 cm)	18" x 7.5" (45.7 x 19.1 cm)	18" x 7.5" (45.7 x 19.1 cm)
TIRES (FRONT)	11" x 4" (27.9 x 10.2 cm)	11" x 4" (27.9 x 10.2 cm)	11" x 4" (27.9 x 10.2 cm)	11" x 4" (27.9 x 10.2 cm)	11" x 4" (27.9 x 10.2 cm)
SEAT	18" (46 cm) Extra-Tall	18" (46 cm) Extra-Tall	18" (46 cm) Extra-Tall	18" (46 cm) Extra Tall	» 18" (46 cm) Premium
SEAT SUSPENSION	Spring Under Seat	Spring Under Seat	Spring Under Seat	Spring Under Seat	Spring Under Seat
ARMRESTS	Optional	Optional	Optional	Optional	» Standard
HOURLY METER	Standard	Optional	Optional	Optional	» Standard
STORAGE DIMENSIONS (W x L x H)	35.3" x 71.8" x 40.7" (90 x 182 x 103 cm)	45.3" x 71.8" x 37.3" (115 x 182 x 95 cm)	45.3" x 71.8" x 37.3" (115 x 182 x 95 cm)	45.6" x 71.8" x 39.1" (115.8 x 182.4 x 99.3 cm)	45.6" x 71.8" x 42.0" (115.8 x 182.4 x 107 cm)
RESIDENTIAL LIMITED WARRANTY <sup>2</sup>	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours



Specifications subject to change without notice and without incurring obligation. Products depicted in this brochure are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features.

1 The gross horsepower of this engine was laboratory rated at 3,600 rpm by the engine manufacturer in accordance with SAE J1940 or SAE J1995. As configured to meet safety, emission and operating requirements, the actual horsepower on this class of mower will be significantly lower.

2 See retailer for warranty details.

» Enhanced or step-up feature

† Can be maneuvered through a 36" gate

^ 2013 HANDY Magazine Innovation Award Winner (Smart Speed®)




1 TO 3 ACRES

MX5000 74773	NEW! MX5000 74774	MX5025 74776	MX5075 74768	MX6050 74777
» 24 hp Kohler V-Twin 725cc with Pro-Series Air Cleaner	» 24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing	» 23 hp Kawasaki <sup>®</sup> V-Twin 726cc	» 24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing	24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing
Standard	Standard	Standard	Standard	Standard
3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)
» 50" (127 cm) fab. – 10 ga. 3 blades IronForged <sup>™</sup> Cutting System	50" (127 cm) fab. – 10 ga. 3 blades IronForged <sup>™</sup> Cutting System	50" (127 cm) fab. – 10 ga. 3 blades IronForged <sup>™</sup> Cutting System	50" (127 cm) fab. – 10 ga. 3 blades IronForged <sup>™</sup> Cutting System	» 60" (152 cm) fab. – 10 ga. 3 blades IronForged <sup>™</sup> Cutting System
» 18,330 ft/min (5,587 m/min)	18,330 ft/min (5,587 m/min)	18,330 ft/min (5,587 m/min)	18,330 ft/min (5,587 m/min)	18,330 ft/min (5,587 m/min)
Standard	Standard	Standard	Standard	Standard
1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)
Optional	» Standard	Optional	N/A	» Standard
Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge
Standard	Standard	Standard	Standard	Standard
Optional	» Standard	Optional	» Standard	Standard
Dual Hydrostatic HG-ZT2100	» Dual Hydrostatic HG-ZT2200	Dual Hydrostatic HG-ZT2200	Dual Hydrostatic HG-ZT2200	» Dual Hydrostatic HG-ZT2800
N/A	» Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard Dampers	» Pro-Control Dampers	Standard Dampers	» Pro-Control Dampers	Pro-Control Dampers
up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)
18" x 7.5" (45.7 x 19.1 cm)	» 20" x 10" (50.8 x 25.4 cm)	20" x 10" (50.8 x 25.4 cm)	20" x 10" (50.8 x 25.4 cm)	20" x 10" (50.8 x 25.4 cm)
» 11" x 6" (27.9 x 12.7 cm)	» 13" x 5" (33 x 12.7 cm)	13" x 5" (33 x 12.7 cm)	» 13" x 6.5" (33 x 16.5 cm)	13" x 6.5" (33 x 16.5 cm)
18" (46 cm) Premium	18" (46 cm) Premium	18" (46 cm) Premium	18" (46 cm) Premium	18" (46 cm) Premium
Spring Under Seat	Spring Under Seat	Spring Under Seat	» MyRIDE <sup>®</sup> Suspension System	Spring Under Seat
Standard	Standard	Standard	Standard	Standard
Optional	Optional	Optional	Optional	» Standard
53.5" x 72.9" x 39.1" (135.9 x 185 x 99.3 cm)	53.5" x 72.9" x 39.1" (135.9 x 185 x 99.3 cm)	53.5" x 72.9" x 39.1" (135.9 x 185 x 99.3 cm)	53.5" x 72.9" x 43.0" (135.9 x 185 x 109.2 cm)	61.3" x 82.1" x 43.0" (155.7 x 208.5 x 109.2 cm)
3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours

# SMART. EASY. CONNECTED.

Manage your Toro equipment with the MyToro<sup>®</sup> App. Ever wonder how often you should change your oil or which blades you need for your Toro lawn mower? MyToro serves up essential product resources like:

- Manuals & Service Reminders
- Parts & Maintenance Kits
- Video Tutorials
- Weather, Lawn Care Tips and More



Yardcare Help & Tips



Service Notifications



View maintenance how-to videos and illustrated instructions



Add functionality with the Toro Portable Usage Calculator (PUC<sup>™</sup>)



# TIMECUTTER® HD SERIES SPECIFICATIONS

with MyRIDE® SUSPENSION SYSTEM

YARD SIZE	3+ ACRES				
MODELS	75201	75202	75211	75212	75213
ENGINE <sup>1</sup>	22.5 hp Toro® Commercial V-Twin with Self-Cleaning Air Filter Housing	» 24.5 hp Toro Commercial V-Twin with Self-Cleaning Air Filter Housing	22.5 hp Toro Commercial V-Twin with Self-Cleaning Air Filter Housing	» 24.5 hp Toro Commercial V-Twin with Self-Cleaning Air Filter Housing	24.5 hp Toro Commercial V-Twin with Self-Cleaning Air Filter Housing
MOWING DECK	48" (121.9 cm) Fabricated - Grade 50 High Strength 10 ga. Steel Shell IronForged™ Cutting System	» 54" (137.2 cm) Fabricated - Grade 50 High Strength 10 ga. Steel Shell IronForged™ Cutting System	48" (121.9 cm) Fabricated - Grade 50 High Strength 10 ga. Steel Shell IronForged™ Cutting System	» 54" (137.2 cm) Fabricated - Grade 50 High Strength 10 ga. Steel Shell IronForged™ Cutting System	» 60" (152.4 cm) Fabricated - Grade 50 High Strength 10 ga. Steel Shell IronForged™ Cutting System
FRONT AXLE	2.5" x 2.5" (6.4 x 6.4 cm)	2.5" x 2.5" (6.4 x 6.4 cm)	2.5" x 2.5" (6.4 x 6.4 cm)	2.5" x 2.5" (6.4 x 6.4 cm)	2.5" x 2.5" (6.4 x 6.4 cm)
FUEL CAPACITY	5 Gallons (18.9 L)	5 Gallons (18.9 L)	5 Gallons (18.9 L)	5 Gallons (18.9 L)	5 Gallons (18.9 L)
FRAME	Fully Tubular, Heavy-Duty 10 Gauge	Fully Tubular, Heavy-Duty 10 Gauge	Fully Tubular, Heavy-Duty 10 Gauge	Fully Tubular, Heavy-Duty 10 Gauge	Fully Tubular, Heavy-Duty 10 Gauge
DECK WASHOUT PORTS	2 Standard	2 Standard	2 Standard	2 Standard	2 Standard
DECK SPINDLES	7.75" (19.7 cm) dia. housing 1" (2.5 cm) dia. shaft	7.75" (19.7 cm) dia. housing 1" (2.5 cm) dia. shaft	7.75" (19.7 cm) dia. housing 1" (2.5 cm) dia. shaft	7.75" (19.7 cm) dia. housing 1" (2.5 cm) dia. shaft	7.75" (19.7 cm) dia. housing 1" (2.5 cm) dia. shaft
BLADE-TIP SPEED	18,880+ ft/min (5,755+ m/min)	18,644+ ft/min (5,683+ m/min)	» 18,880+ ft/min (5,755+ m/min)	18,644+ ft/min (5,683+ m/min)	» 18,908+ ft/min (5,763+ m/min)
ANTI-SCALP ROLLERS	3 Standard	3 Standard	3 Standard	3 Standard	3 Standard
HEIGHT OF CUT / DECK LIFT PEDAL	1.5" - 4.5" (3.8 - 11.4 cm) 13 position	1.5" - 4.5" (3.8 - 11.4 cm) 13 position	1.5" - 4.5" (3.8 - 11.4 cm) 13 position	1.5" - 4.5" (3.8 - 11.4 cm) 13 position	1.5" - 4.5" (3.8 - 11.4 cm) 13 position
TRANSMISSIONS	Dual Hydrostatic HG-ZT3100	Dual Hydrostatic HG-ZT3100	Dual Hydrostatic HG-ZT3100	Dual Hydrostatic HG-ZT3100	Dual Hydrostatic HG-ZT3100
GROUND SPEED <sup>2</sup>	Up to 8.5 mph (13.7 km/h)	Up to 8.5 mph (13.7 km/h)	Up to 8.5 mph (13.7 km/h)	Up to 8.5 mph (13.7 km/h)	Up to 8.5 mph (13.7 km/h)
TIRES (REAR)	22" x 10" (55.9 x 25.4 cm)	22" x 10" (55.9 x 25.4 cm)	22" x 10" (55.9 x 25.4 cm)	22" x 10" (55.9 x 25.4 cm)	22" x 10" (55.9 x 25.4 cm)
TIRES (FRONT)	13" x 6.5" (33 x 16.5 cm)	13" x 6.5" (33 x 16.5 cm)	13" x 6.5" (33 x 16.5 cm)	13" x 6.5" (33 x 16.5 cm)	13" x 6.5" (33 x 16.5 cm)
SEAT	18" (46 cm) Premium	18" (46 cm) Premium	18" (46 cm) Premium	18" (46 cm) Premium	18" (46 cm) Premium
SEAT SUSPENSION	Springs Under Seat	Springs Under Seat	» MyRide® Suspension System	MyRide Suspension System	MyRide Suspension System
ARMRESTS	Standard	Standard	Standard	Standard	Standard
STEERING LEVERS	Pro-Control Dampers	Pro-Control Dampers	Pro-Control Dampers	Pro-Control Dampers	Pro-Control Dampers
ANTI-VIBRATION FLOOR MAT	Standard	Standard	Standard	Standard	Standard
HITCH	Standard	Standard	Standard	Standard	Standard
12V ACCESSORY PORT	Standard	Standard	Standard	Standard	Standard
REAR ENGINE GUARD	Standard, Bucket Ready	Standard, Bucket Ready	Standard, Bucket Ready	Standard, Bucket Ready	Standard, Bucket Ready
SMART SPEED® CONTROL SYSTEM	Standard	Standard	Standard	Standard	Standard
STORAGE DIMENSIONS (L x W x H)	82" x 52.4" x 44" (208.3 x 133.1 x 111.8 cm)	82" x 57.7" x 44" (208.3 x 146.6 x 111.8 cm)	82" x 52.4" x 44" (208.3 x 133.1 x 111.8 cm)	82" x 57.7" x 44" (208.3 x 146.6 x 111.8 cm)	82" x 63" x 44" (208.3 x 160 x 111.8 cm)
ROPS (FOLDABLE FOR STORAGE)	Optional	Optional	Optional	Optional	Optional
HOURLY METER	Standard	Standard	Standard	Standard	Standard
LIMITED WARRANTY <sup>3</sup>	3 year / 300 hour	3 year / 300 hour	3 year / 300 hour	3 year / 300 hour	3 year / 300 hour

Specifications subject to change without notice and without incurring obligation. Products depicted in this brochure are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features.

1 The gross horsepower of this engine was laboratory rated at 3,600 rpm by the engine manufacturer in accordance with SAE J1940 or SAE J1995.

As configured to meet safety, emission and operating requirements, the actual horsepower on this class of mower will be significantly lower.

2 Maximum ground speed will vary with ground conditions, tire pressure, transmission settings and engine settings.

3 See dealer for warranty details.

» Enhanced or step-up feature





# INSIST ON TORO® GENUINE PARTS

Protect the reliability and productivity of your equipment with parts designed specifically for your Toro® products. Made from premium materials and engineered to enhance the safety and performance of your Toro equipment, every part we ship comes with a one-year full warranty. Our responsive Toro dealers have the skills, training and commitment to keep your equipment performing at its best. Leveraging their extensive inventory and Toro's impressive 98% fill rate on parts, your Toro dealer is the best in parts support.



**ANTI-VIBRATION FLOOR MAT**  
 132-6921 :Lever Steer  
 132-6920 :Steering Wheel



**FOOT ASSIST HOC**  
 79010



**HOUR METER**  
 116-5461



**TORO ENGINE MAINTENANCE KITS**  
 136-7930 :Toro Single Cylinder  
 132-4878 :Toro Twin Cylinder (Std. Filter)  
 136-7847 :Toro Twin Cylinder (HD Filter)



**PREMIUM FUEL TREATMENT**  
 131-6572 : (12 oz.)



**DECK MAINTENANCE JACK MOUNT KIT\***  
 126-5251\*\*  
 Cannot be installed at same time as Step Kit / Assist Handle 79339  
 136-9200 :TimeCutter HD



**DECK MAINTENANCE JACK\***  
 127-6666\*\*



**PREMIUM TORO® ENGINE OIL**  
 138-6053 :Full Synthetic 10W30 / SAE30 (1 qt.)  
 38903 :Standard SAE30 (1 qt.)



**HEAVY DUTY SHOCK KIT**  
 137-2042 :TimeCutter MX & TimeCutter\*  
 :HD with MyRIDE™  
 (Includes 3 springs)



**STEP KIT / ASSIST HANDLE**  
 79339  
 Cannot be installed at same time as Jack Mount Kit 126-5251



**DELUXE COVER**  
 490-7516  
 137-7012 :TimeCutter HD



**SUNSHADE\*\*\***  
 79011  
 137-7011 :TimeCutter HD



**5 GALLON BUCKET**  
 133-2533 :Toro 5 gallon bucket  
 136-7494 :Bucket mount kit (TimeCutter HD & MX6050)



**SEAT COVER**  
 117-0096 :No armrests  
 117-0097 :With armrests



**ARMRESTS**  
 105-6978 :For 18" seats only (Standard Seat)  
 110-5719 :TimeCutter HD (Premium Seat - Black)

**RECYCLER® MULCH KIT**  
 79017 :32"  
 131-4182 :42" (2011 - 2017)  
 137-7042 :42" (2018 & Up)  
 79019 :50"  
 131-4185 :54"  
 131-4184 :34" Fab  
 131-4183 :42" Fab  
 79024 :50" Fab  
 136-7490 :60" Fab  
 136-7488 :48" TimeCutter HD  
 136-7489 :54" TimeCutter HD  
 136-7490 :60" TimeCutter HD

**BAGGING ENHANCEMENT / BLOWOUT RING KIT**  
 137-7048 :42" (2018 & Up)  
 114-1608 :50"  
 131-4166 :54"  
 131-4168 :34" Fab  
 121-5698 :42" Fab  
 121-5692 :50" Fab  
 117-7202 :60" Fab  
 119-3381 :48" TimeCutter HD  
 117-7202 :54"/60" TimeCutter HD

**STRIPING KIT**  
 137-5030 :42" (2018 & Up)  
 120-7905 :50"  
 131-4165 :54"  
 131-4167 :34" Fab  
 121-5702 :42" Fab  
 121-5706 :50" Fab  
 119-3380 :48" TimeCutter HD  
 117-5319 :54"/60" TimeCutter HD

**TWIN BAGGER®**  
 79390 :32"  
 79391 :42" (2011 - 2017)  
 79397 :42" (2018 & Up)  
 79392 :50" / 54"  
 79393 :34" Fab  
 79394 :42" Fab  
 79395 :50" Fab  
 79396 :60" Fab

**ADDITIONAL ACCESSORIES AVAILABLE:**  
**LIGHT KIT**  
 136-7493 :TimeCutter HD  
**ROPS KIT**  
 136-7495 :TimeCutter HD  
**DECK LIFT ASSIST KIT**  
 132-6850 :TimeCutter HD

\*Mount kit required to use maintenance jack on TimeCutter models.  
 \*\*Not Available for MX6050. 2018 and 2019 models are compatible. \*\*\*Not available for MX5050 or SWX5050.  
 ^Requires Weight Kit (131-7658 for 32" - 54" models, or 136-7492 for 60" model) and Mounting kit (131-3966 for 32" - 54" models, or 136-7491 for 60" model).



**HOW TO ORDER:**  
 Your authorized Toro dealer is always your best source for product accessories and parts. You can also visit [torodealer.com](http://torodealer.com) for more information.



## FROM START TO FINISH™

Every product that carries the Toro brand is backed by over 100 years of history, innovation and timeless dependability. We never stop investing in research and development to give our customers the latest features. That's why Toro is one of the best-known, most trusted brands in the business – and why your next mower should be a Toro. We also stand behind our products with a nationwide network of knowledgeable dealers for parts and service support. **Real People. Real Support.**

**Smart Features. Proven Dependability.**



[LookBeforeYouPump.com](http://LookBeforeYouPump.com)




**FOLLOW US!**

[facebook.com/toro.yard](https://facebook.com/toro.yard)  
[instagram.com/TheToroCompany](https://instagram.com/TheToroCompany)  
[pinterest.com/TheToroCompany](https://pinterest.com/TheToroCompany)  
[twitter.com/TheToroCompany](https://twitter.com/TheToroCompany)  
[youtube.com/toro](https://youtube.com/toro)

**toro.com / toro.ca**

490-0215  
 ©2019 The Toro Company. Bloomington, MN 55420  
 All rights reserved. Printed in the USA.

*Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your dealer for details on all our warranties.*



Dealer imprint area